


MULTICARRIER SYSTEM WITH TRANSMIT DIVERSITY

Bibliographic data	Description	Claims	Abstract	Original document	INPAD OC legal status	

Publication number: JP2007515829 (T)

Publication date: 2007-06-14

Inventor(s):


Applicant(s): DO-COMO COMMUNICATIONS LABORATORIES

Classification:

- international: H04J11/00; H04B7/06; H04J1/00; H04L1/00; H04L1/06; H04L27/00; H04L27/26; H04J11/00; H04B7/04; H04J1/00; H04L1/00; H04L1/02; H04L27/00; H04L27/26

- European: H04L27/26M3; H04B7/06C2D; H04L1/00B3; H04L1/00B5;

Also published as:



JP4296177 (B2)


H04L1/00B7V; H04L1/06T7K;
H04L27/26M1P

**Application
number:** JP20050508983T 20030915


**Priority
number(s):** WO2003EP10240 20030915

[View INPADOC patent family](#)


[View list of citing documents](#)




WO2005029801
(A1)



EP1665703
(A1)



EP1665703
(B1)



DE60318754
(T2)

[more >>](#)

[Report a data error here](#)

Abstract not available for JP 2007515829 (T)

Abstract of corresponding document: **WO 2005029801 (A1)**

An apparatus for providing a multi-carrier modulated signal from a first user signal and from a second user signal using a multi-carrier modulation scheme having a number of carriers with successive carrier frequencies comprises an input (101) for receiving the first user signal and the second user signal, an

assigner (115) for assigning values of the first user signal or processed values of the first user signal to a first set of carriers having successive carrier frequencies and for assigning values of the second user signal or processed values of the second user signal to a second set of carriers having successive carrier frequencies, a multi-carrier modulator (117) for providing a multi-carrier modulated signal by simultaneously modulating values assigned to the first set of successive carrier frequencies and values assigned to the second set of successive carrier frequencies. The inventive assigning scheme provides a concept for an efficient exploitation of a spatial diversity in a multi-user scenario.